

LED LIGHT FIXTURE BONDING WITH BELZONA ONTO A HOSPITAL ROOF

ID: 8591



PROBLEM

The client did not want to drill into the coping or concrete pillars. Drilling into the metal coping could lead to leaks while drilling into the concrete would be time consuming and labor intensive.

APPLICATION SITUATION

A hospital in Houston needed to install lighting on the roof for better aesthetics and functionality.

APPLICATION METHOD

Aluminum angle brackets were to be bonded to the substrate in order to bolt on LED fixtures. The bottom of the brackets together with the substrate were prepared with a grinder to create a rough and clean profile. Belzona 4911 primer was used in all concrete locations. Belzona 1161 was applied to both the bracket bottom and substrate at about 1/16" inch thick. The bracket was then firmly pressed down to the substrate and exuded material was used to chamfer around the edges. Once in place, holes were drilled into the brackets and the LED fixtures were installed.

BELZONA FACTS

Over 500 brackets were installed via plate bonding. The plates were bonded along the entire perimeter of the roof.

INDUSTRY

Buildings & Structures

LOCATION

Houston

APPLICATION DATE

2020-2021

PRODUCTS

Belzona 4911 (Magma TX-conditioner)
Belzona 1161 (Super UW-Metal)

SUBSTRATE

Steel Coping and Concrete Pillars

PHOTOS

1. Close up of concrete bonding location
2. Overall Picture
3. Application onto metal coping.
4. View of fixture system

For more examples of Belzona Know-How in Action, please visit khia.belzona.com

Belzona products are manufactured
under an ISO 9001 Registered
Quality Management System.

www.belzona.com

